Enzo°

Product Manual

HIGHDEF® blue IHC chromogen (AP)

Catalog #: ADI-950-150

Alcohol & Xylene-Substitute Compatible

FOR RESEARCH USE ONLY.
NOT FOR USE IN DIAGNOSTIC PROCEDURES.



Product Manual

INTENDED USE

Substrate/chromogen in conjunction with alkaline phosphatase (AP)-based immunostaining or *in situ* hybridization (ISH) systems.

INTRODUCTION

HIGHDEF® blue IHC chromogen (AP) is a substrate-chromogen system designed to be used for either immunohistochemistry (IHC) or ISH when utilizing alkaline phosphatase. HIGHDEF® blue IHC chromogen (AP) has been formulated for increased stability of the working solution while producing a distinct bright blue color. It is insoluble in alcohol and xylene substitutes (both aliphatic hydrocarbon and citrus based); therefore sections can be dehydrated in alcohol, cleared in xylene substitute*, and permanently mounted. However, we recommend air drying slides and then permanently mounting. This chromogen substrate system may be used for both automation and manual use.

KIT CONTENTS

Description	30 mL
HIGHDEF® blue IHC chromogen (AP) Substrate Buffer	30 mL
HIGHDEF® blue IHC chromogen (AP) Chromogen	1 mL
Empty Mixing Bottle	1

STORAGE

Store at 2°-8°C away from light. Do not use beyond the expiration date stated on the label.

WORKING SOLUTION

Aliquot 1 mL of HIGHDEF® blue IHC chromogen (AP) Substrate Buffer in a mixing bottle. Add one drop (\sim 20 μ L) of concentrated HIGHDEF® blue IHC chromogen (AP) chromogen solution. Replace tip, mix, and allow solution to reach room temperature before using.

Note: The HIGHDEF® blue IHC chromogen (AP) chromogen-substrate working solution is light sensitive and should be kept away from light as much as possible. Working solution is stable for up to 6 hours in the dark; any solution not used during this period should be discarded. For optimal staining, use freshly made solution.



Product Manual

Protocol	STAINING PROCEDURE:	INCUBATION TIMES
_	ne phosphatase incubation, wash t r, then follow protocol of choice:	issue sections
Pre-Mix Working Solution: (Automation)	HIGHDEF® blue IHC chromogen (AP) working	Working Solution:
	solution has a 6-hour stability and can be loaded directly onto instrument as a single solution. Reduce exposure to light to achieve optimal staining. Working solution is applied directly to slide.	10 - 20 min
On Board Mixing (Automation)	Instruments that have on-board mixing capability can load the chromogen and substrate-buffer components independently. Working solution is made mixing reagents 1:50 in on-board mixing station before application to slide.	Working Solution: 10 - 20 min
Manual Use	Mix substrate-chromogen and buffer in a 1:50 ratio and apply directly to slide.	Working Solution:
		10 - 20 min

COUNTERSTAIN

Counterstain with Hematoxylin or Nuclear Fast Red for good contrast. Wash with distilled or de-ionized H₂O followed by immuno wash buffer.

MOUNTING

We recommend air drying slides (instead of dehydrating or clearing in alcohol and xylene-substitute). After rinsing off counterstain in distilled or de-ionized H_2O , leave slides on benchtop for at least 20 minutes to air dry, then permanently mount.

Alternatively, you may dehydrate sections in increasing concentrations of ethanol up to 100%, clear in a xylene-substitute*, and mount with a permanent mounting medium (HIGHDEF® IHC mount, Prod. no. ADI-950-261).

*Note: Use xylene-substitute instead of xylene.

Product Number: ADI-950-150 3 Revision: 08/19/16



Product Manual

USE FOR RESEARCH PURPOSES ONLY

Unless otherwise specified expressly on the packaging, all products sold hereunder are intended for and may be used for research purposes only and may not be used for food, drug, cosmetic or household use or for the diagnosis or treatment of human beings. Purchase does not include any right or license to use, develop or otherwise exploit these products commercially. Any commercial use, development or exploitation of these products or development using these products without the express written authorization of Enzo Life Sciences, Inc. is strictly prohibited. Buyer assumes all risk and liability for the use and/or results obtained by the use of the products covered by this invoice whether used singularly or in combination with other products.

LIMITED WARRANTY; DISCLAIMER OF WARRANTIES

These products are offered under a limited warranty. The products are guaranteed to meet all appropriate specifications described in the package insert at the time of shipment. Enzo Life Sciences' sole obligation is to replace the product to the extent of the purchasing price. All claims must be made to Enzo Life Sciences, Inc., within five (5) days of receipt of order. THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY OTHER WARRANTIES OR LIABILITIES, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT OF THE PATENT OR OTHER INTELLECTUAL PROPERTY RIGHTS OF OTHERS, AND ALL SUCH WARRANTIES (AND ANY OTHER WARRANTIES IMPLIED BY LAW) ARE EXPRESSLY DISCLAIMED.

TRADEMARKS AND PATENTS

Several Enzo Life Sciences products and product applications are covered by US and foreign patents and patents pending.

www.enzolifesciences.com

Enabling Discovery in Life Science®

Global Headquarters

Enzo Life Sciences Inc.

10 Executive Blvd

Farmingdale, NY 11735

(p) 1-800-942-0430

(f) 1-631-694-7501

(e) info-usa@enzolifesciences.com

Enzo Life Sciences (ELS) AG

Industriestrasse 17, Postfach

CH-4415 Lause / Switzerland

(p) +41/0 61 926 89 89

(f) +41/0 61 926 89 79

(e) info-ch@enzolifesciences.com

Please visit our website at <u>www.enzolifesciences.com</u> for additional contact information.

Product Number: ADI-950-150 4 Revision: 08/19/16